



Comments: In asphalt adhered installations, Type III Asphalt may be used to adhere fleece-backed EPDM up to a maximum of 450 mm (18") above the roof deck. Hi-Flex EPDM BA-90 Bonding Adhesive should be used on heights above 450 mm (18") or under Coping Stone. Lexcan Water Cut-Off Tape or Water Cut-Off Mastic extends to edge of EPDM and around dowel.



**Parapet Termination 2**  
**(Coping Stone)**  
**Roofing System Detail**

**Scale: Not to scale**  
**Date: August, 2016**  
**Detail No.: L-S-212**