


Grizzly Equipment



North American Leader in Manufacturing Roofing Equipment Established for over 40 years









On-Deck Equipment



The best products are the result of exceptional design.

Our on-deck equipment comes with solid wheels (model numbers ending in SW). Available with standard wheels upon request.



101 000SW Mini Mopper 40"

Features a hole every inch for ideal flow adjustment with a wide rear leg for stability and to avoid puncturing the roof membrane. A split handle allows getting close to protrusions.

\$1,195

| 102 000 | 36" Metric Mini mopper | \$1195 |
|---------|------------------------|--------|
| 104 000 | 48" Mini mopper | \$1250 |
| 101 050 | Screen for Mini mopper | \$125 |



110 000SW Gravel Spreader

The adjustment of the dispensing door is simple and the handle is removable for storage. The rear wheel is offset for operator comfort. The manual spreader is a perfect pairing with the mini mopper.

- 36" wide
- Holds 6' cu. of 1/4" gravel or 2 1/2" ballast




123 000SW Safety Mop Buggy

A safe and effective way to carry hot asphalt. The handle is reinforced and is made like a "T" to keep it from slipping when pulling.

The rim is rolled to reduce mop drag. The mop buggy comes equipped with a single lifting eye.

24 US Gallons

\$1,490





143 000SW Little Giant Trailer

Can be loaded with rolled goods, plywood, insulation, debris and even a 55 gallon insulated tank. The drop handle acts like a brake when dropped.

\$2,200

| 143 000 | LG with standard wheels | \$1,700 |
|-----------|----------------------------|-----------|
| 143 700 | Large Dump Tray | \$2,650 |
| 143 800 | Double Dump Bucket | \$3,390 |
| 140 150 | Insulated tank support kit | \$300 |
| 143 012SW | Long Giant Trailer | on demand |



144 000SW Utility Carrier

The Grizzly utility carrier can be used to transport materials on the roof, including an insulated tank of hot asphalt. Sold with channels and tank rods. This carrier is compact and very maneuverable because of its heavy duty swivel front wheel.

\$1,580

144 150 Insulated tank support kit \$300



146 500 Safety Insulated Tank

All tanks are tested for leaks prior to insulation and jacketing. This 55 G. fully welded tank can be mounted on different machines such as Lit tle giant trailers, Utility Carriers, Workhorses and Predators. US model also available.

\$1,980

601 201 Draincock (sold separately) \$425





Get the job done right, the first time.

We have the best on-deck equipment for roofers on the market. Our products are designed to make your job easier and help you get the job done efficiently.

All of our on-deck equipment comes with solid wheels.




147 000SW Hot Stuff Carrier

A compact and efficient way to supply hot asphalt on the roof. It is also a great way to hoist hot asphalt directly to the roof for small repairs without having to set up the roofline.

Insulated and fully welded to keep its insulation dry, its rear swivel wheel features a parking wheel lock.

\$3,260





180 000 Trash Chute Hopper

Heavy duty metal hopper for standard chutes.

- 3 rings for chute chains
- Wide mouth with sides
- Light weight and durable
- Can support up to 30 chutes.

^{\$}1,575

| 108 008 48 x 96 30' Diameter Chute Section \$35 | 0 |
|---|---|
|---|---|



The Best Wheelbarrow in North America



The only wheelbarrow on the market that allows you to dump your entire load without letting go of the handles and without breaking the dump bucket. As all our handling equipment, Grizzly wheelbarrows comes with solid wheels.

Wheelbarrows

The roofer's wheelbarrow has been made even better. We have increased the length of the protective nose piece to keep the wheelbarrow from rolling back when dumping. Very well balanced, it will save your back! It is provided with a lifting ring. Once you use this wheelbarrow you won't go back to any other.



202 000SW

Roofer's wheelbarrow

\$699

202 000 With Standard Wheels \$699

203 000SW

Extra wide 18 X 8.50-8 wheels for use on EPDM

\$799

203 000 With Standard Wheels \$799





Handling Equipment



A safe and easy way to transport a 100 lb propane tank to and around the roof. Keep your hoses and accessories secure on the roof with our hooks. Our ring safely lifts the voyager and the tank to the rooftop.





The safest choice for roofers who need to lift propane tanks







220 000SW Voyager 1

Designed to carry one propane tank securely nestled inside its frame and held in place by chains.

221 000SW Voyager 2

Designed to carry two propane tanks securely nestled inside its frame and held in place by chains.

\$750

\$1,240

Approved for lifting



227 000SW Transporter without rear wheels

The ideal way to move insulation, tentest, felt, etc. around the roof with ease.

\$1,800



225 000SW Transporter with rear wheels

Rear wheels add stability and maneuverability, enhancing the overall user experience.

\$2,200



Easily move insulation up to 800 lbs.

Wider and more stable than the competition. The 4 wheels absorb the load and protect the operator.







Roll carriers for EDPM and TPO




Roll carriers for a wide range of materials

Your best choice for transporting, and moving rolls. Designed for 50×100 rolls. All the weight is distributed on the buggies, making it easier to move the rollers

Grizzly Safety Roll Carriers

Grizzly propose a new roll carrier. This equipment is perfect to transport any rolled material up to 50 X 100 rolls.



230 500 Roll Carrier for EPDM

Comes with air filled wheels and a 4 inch pipe – 17' wide.

Pipe comes in 3 sections for transport. 230 500SW for solid wheels.


231 000 Roll Carrier for TPO

Comes with air filled wheels and a 2 inch pipe - 17' wide.

Pipe comes in 3 sections for transport. 231 000SW for solid wheels.

\$4,600

\$4,600



A proven design, great for any size job



Roof **Cutters**

The Grizzly Roof Cutter has made life easier for businesses and their employees. It is a versatile tool that can be used in many different ways, which makes it perfect to have on hand at all times! All models come with solid wheels.

303 500/303 600 Piranha Cutters

We have equipped the model 303 500 with a GX340 11HP Honda engine & the model 303 600 with a GX390 13HP Honda engine, a single lifting ring, amachined depth control arm, and a floating blade cover for safety.

| 303 500 | 11 HP | \$5,300 |
|---------|-------|---------|
| 303 600 | 13 HP | \$5,600 |





301 000 Roof Cutter

Powered by a GX270 9HP Honda engine. A remote air breather helpskeep dust particles away from the engine, and a centered lifting ringmakes it quick and easy to lift to the roof.

304 000 Mini Roof Cutter

This Grizzly mini cutter has a GX200 6.5HP Honda engine and is perfect for tight spots. The handle is adjustable and can fold down to allow cutting under structures that have 18" clearance.

\$4,750 \$3,750

Roof Cutter Blades.

- Designed to fit all makes and models of roof cutters with a 1" mounting hole and 12" diameter cut profile.
- Even at 2.5" cutting depth, the cutting edge clears the roof profile before beginning the next cut, reducing the strain on the engine.
 • Full 2.25" long by 0.25 wide carbide tips.
- 12" and 14" overall lengths. (Straight Blades)

940 201 Straight 12" 940 203 Straight 14"





Roofing Workhorses

Grizzly workhorses can handle a number of jobs. The gravel spreader attachment will spread large or pea gravel. The dump tray attachment is used for moving debris or material and the hot tank will supply hot asphalt on larger jobs. All our workhorses come with solid wheels.

We Make Roofing Equipment Better.

The frame is more durable, with $1^{\prime\prime\prime}$ Differential providing greater stability and a new complete chain quard for safety



330 000SW Workhorse

Equipped with a GX160 5.5HP Honda engine. Easily adjustable brake and clutch mechanisms

\$7,200

| 330 150 | Insulated tank support kit | \$300 |
|---------|----------------------------|---------------------|
| 330 500 | Gravel spreader | ^{\$} 1,325 |
| 330 700 | Dump tray | \$1,180 |
| 332 700 | Large Dump Tray | ^{\$} 1,480 |



332 000SW Hydraulic Workhorse

Equipped with a GX270 9HP Honda engine. The forward/reverse and dump cylinders allow for greater load capacity. 332 200 & 330 500 sold separately.

\$12,300

| 330 150 | Insulated tank support kit | \$300 |
|---------|----------------------------|---------------------|
| 330 500 | Gravel spreader | \$ _{1,325} |
| 332 200 | Stand on chariot | \$1,040 |
| 332 700 | Large dump tray | \$ _{1,480} |
| 330 700 | Dump tray | \$1,180 |



333 000SW Wheel Under Workhorse


Same features as the 330 000 in a more compact and narrower unit. This Workhorse tackles large-scale gravel spreading task with unmatched control and efficiency.

\$10,825

| 330 150 | Insulated tank support kit | \$300 |
|---------|----------------------------|---------------------|
| 333 500 | Gravel spreader | \$1,600 |
| 332 700 | Large Dump Tray | \$1,480 |
| 330 700 | Dump tray | ^{\$} 1,180 |
| | | |

Workhorse Attachments

Work faster and stronger







330 150 Insulated Tank Support Kit

Tank attachment only. Workhorse sold separately.

\$300

Gravel Spreader Attachments

Gravel spreader attachment only. Workhorse sold separately.

| 330 500 | Gravel Spreader for 330 000 and 332 000 | \$1.325 |
|---------|---|---------|
| 333 500 | Gravel Spreader for 333 000 | \$1,600 |



330 700 Dump Tray

Dump tray attachment only. Workhorse sold separately. Use for 330000- 332000- 333000



332 700 Large Dump Tray

Dump Tray attachment only. Workhorse sold separately. Use for 330000 -332000-333000

\$1,180

\$1,480

The Predator's many attachments will help you do the job without headaches or backaches.





The ideal machine to haul material

Grizzly has developed the Predator, a rugged and very efficient machine engineered to be simple to operate and maintain and compact enough to work in

With its differential and dual rear swivel wheels, the Predator has a zero turning radius. When you combine the Predator's 36" overall width to its maneuverability the Predator can work in places others only dream about.

340 300 Hot tank support 340 400 Platform with swivel wheels

340 450 Engine guard

340 500 Gravel Spreader 340 600 TPO roll carrier

340 700 Dump tray


340 800 Deep tray 30"

340 000 Predator Mechanical Transporter

The most complete motorized wheelbarrow in the industry, this equipment can be used for all kinds of roofing.

\$6,800

340450 Engine protector for predator optional









340 600 TPO Roll Carrier for Predator

340 000 + 340 500

340 500 Gravel Spreader for Predator
Gravel spreader for predator (for 1/4" up to 3" stone)



340 800 Deep Dump tray 30" dump tray. Can dump directly into trash chute.

\$1,020 \$1,600 \$1,350



Hydraulic Roof Remover

The powerful Hydraulic Roof Remover is equipped with three hydraulic motors. It turns 360 degrees with ease with two independent motorized wheels.



320 000SW Hydraulic Roof Remover Equipped with solid wheels, 11 HP engine and standard blade.

Length: 72" Width: 32"

\$13,250

Hydraulic Roof Remover

Two hydraulic motors drive the wheels and the blade is driven from a third hydraulic motor. The engine is GX340 by Honda. This technology provides Grizzly with the advantage of controlling each of the wheels individually to allow forward, reverse and even turning, an industry first!

- Stroke control for light concrete and polystyrene
- Wide tires with excellent traction
- Direct drive on blade for stroke control

320 039 Optional 34" blade



Our equipment is userfriendly, making your job easier.



350 000 12" Roof Planer

For large or small jobs, can get you to within an inch of walls or curbs.

The Grizzly Planer runs smoothly minimizing operator fatigue and producing a table top smooth finish. Equipped with a new height adjustment handle, this planer features a 13 HP GX390 Honda engine and four carbide pins that are very solid and durable. A single lift ring allows safe and easy hoisting to the

\$6,200

14" Rotary Planer

The 14" Rotary Planer is available is in ASE catalogue (104 400).

\$6,400



370 000 36" Sweeper

The 370 000 36" Sweeper comes complete with a 9 HP GX270Honda engine. This Sweeper can be easily maneuvered and controlled. There are three sweeping positions with the steeland nylon brush producing a clean surface. Comes with poly coil brush only.

\$8,375

40" Sweeper

The 40" Sweeper is available in ASE catalogue (104 680).

\$8,500

| 104 682 | Poly Coil | \$9,000 |
|---------|------------|---------|
| 104 680 | Poly Steel | \$8,500 |



Powered On-Deck Equipment

Make your life easier

Equipment is easy to use and maintain, so you'll spend less time and money keeping it running

Use our tools to get the job done in half the time and with fewer workers

Call us today. 1-888-325-9953



385 000 Primer Sprayer

Save time by not having to roll the primer on. Adjust the pressure to your needs. 50' long hose, 4 HP Honda engine.

\$5,990



391 000 EPDM Seam Roller

Prevents air pockets and fish mouths. You'll never have to work on your hands and knees again. Features a Honda engine and a single lift ring for safety.

\$3,990



410 000 - G41 The lightest skid steer

The G41 is the lightest skid steer in its class and is equipped with a universal attachment adaptor that allows the use of accessories.



The machine that saves you time and money

Picked up, pushed, swept, tore off, carried, moved and dumped by a single person



How about a machine that can pick-up, push, sweep, tear-off, carry, move, dump, lift, dig, etc... and do it safely with minimal maintenance.

The G41 is the lightest machine in its class, while being very powerful. Its high torque engine is equipped with a universal attachment adaptor that allows the use of several accessories.

The G41 features 4 independent hydraulic wheel motors that require no chains, and therefore no adjustments nor tensioning of these chains, eliminating the lag from loose chains. The controls keep their precision, and the operator keeps working, reducing down time.

Safety is enhanced by placing the operator on a platform at the back of the machine, allowing the operator to "Step-off" in case of an emergency.

The operator's feet are also protected from the machine's moving wheels and ergonomic levers permit comfortable and precise use of the controls.

This configuration also keeps the bucket away from the operator, keeping falling debris away from the operator's hands and head. Maintenance is made easy by putting everything within reach.

- Hauling Capacity: 500 lb
- Tip load: 1000 lb

G41 Attachments



410 100 Bucket

\$1,330



410 200 Hydraulic grappler bucket

It will allow you better handling of waste, debris, or materials on the roof.

\$2,850



Double wheel kit*

| 411 000 | Double wheel kit | \$1,810 |
|-----------|------------------------|---------|
| 411 000SW | Double solid wheel kit | \$2,250 |

*Pictured with the 410 100 bucket attachment



412 000 Hydraulic Sweeper

This 44" sweeper allows you to sweep forward, to the left or to the right depending on your needs. The brush rotation speed is adjustable.

\$4,900



413 000 Roof remover

This attachment will lift the old material over its back plate to allow the material to be picked up at a more comfortable height, to be discarded into trailer or workhorse.

\$1,550

| 320 039 | Optional 34" blade for | \$290 |
|---------|------------------------|-------|
| | roof remover | |



414 000 Fork Attachment

An efficient way to transfer skids of light material, rolls, bundles or whatever can be loaded onto or picked up by these forks.

Forks slide side to side to adjust to your needs.

Back guard is removable. May lift up to 500 lbs.

\$1,550

G41 Attachments list

Some attachments are not shown in a photo.

| 410 100 | Bucket | \$1,330 |
|-----------|-----------------------------------|---------|
| 410 200 | Hydraulic grappler bucket | \$2,850 |
| 411 000 | Double wheel kit | \$1,810 |
| 411 000SW | Double solid wheel kit | \$2,250 |
| 418 000 | Trailer hitch attachment for LG18 | \$450 |

**418 000 attachment allows you to attach LG18 Trailers ($143\ 000SW$)

| 412 000 | Hydraulic Sweeper | \$4,900 |
|---------|-------------------------------------|------------------|
| 413 000 | Roof remover | \$1 , 550 |
| 320 039 | Optional 34" Blade for Roof Remover | \$290 |
| 414 000 | Fork attachment | \$1,550 |
| 415 000 | Backhoe attachment | \$3,050 |

Hoisting Equipment





An ideal choice for projects requiring extra reach and convenience


599 000 Gin Wheel \$395


597 000 Counterweight 55 lbs \$157 1.5 ratio needed

532 000 Mechanical Swing Hoist Frame

This innovative Swing hoist frame uses your own ladder hoist power unit to hoist merchandise to and from the roof. The hoist will have 250 lbs. or 400 lbs. capacity depending on the power unit being used. Gin wheel and Counterweights sold separately. 1.5 ratio needed for counterweights + 2 on the front legs.

\$3,900





531 000 Manual Swing Hoist

On the 300 LBS capacity Grizzly Swing hoist the boom and operator fence can be mounted so boom will Swing left or right to unload material or equipment on the roof. Gin wheel and counterweights sold separately.

530 500 Hand Hoist

The Grizzly 300 LBS capacity hand hoist is ideal for lifting lightweight material and equipment quickly and safely to the roof. Gin wheel and counterweights sold separately.

^{\$}1,950

\$1,300



502 500 Power Unit for TT1000

Honda GX270 9 HP

\$6,990



501 300 Fork

Two flip back stoppers keep the rolled goods safely inside. Work faster and minimize cable wear.

\$785



Trash Trays

| 590 000 3 | 8-1/8 x 71-7/8 x 19-1/4 with sling | \$2,050 |
|-----------|------------------------------------|---------|
| 591 000 4 | 2 x 76 x 23 with sling | \$2,575 |



501 450 Super Gravel Bucket

A heavy-duty bucket with a round base that will not damage the roof surface and that serves as a guide to the sliding door.

\$1,200



501 480 Gravel Bucket 800 lbs

800 LBS capacity gravel bucket. Only 27- 3/4" in height at the lip for easy loading.

\$1,535



501 490 Gravel Bucket 1600 lbs

1600 LBS capacity gravel bucket. Only 30-1/4" in height at the lip for easy loading.

\$2,020



598 000 Ladder Wheel

Installed on two standard ladder rungs, the handle pulls the ladder away from the roof to recover the merchandise.

\$235



599 000 Gin Wheel with Hook

All-purpose 12" gin wheel, can be used with 530 500 and 531 000 hand hoists.

\$395



597 000 Counterweight

A hole is provided as a handle for ease of transport and they are stamped "55 lbs".

SAFETY FOIST Ladders

Simple, safe, affordable. All track comes in 8 ft or 4ft sections, for easy storage and assembly in the field.



Electric and Gas Hoist Ladders



EH-250/500 Electric Ladder Hoist

- Extremely lightweight and portable with wheels for easy transportation
- Easy set up- no special tools required
- One-person operation

| | EH250 | EH500 |
|---------------------|-----------|-----------|
| Max weight capacity | 250 lbs | 500 lbs |
| Standard height | 28' - 44' | 28' - 44' |
| Engine warranty | 1 year | 1 year |
| Hoist warranty | 1 year | 1 year |
| Engine type | Electric | Electric |



CH-200H Gas Ladder Hoist

• Easy set up- no special tools required

| | CH200H |
|---------------------|---------------|
| Max weight capacity | 200 lbs |
| Standard height | 26.5' - 42.5' |
| Engine warranty | 3 year |
| Hoist warranty | 1 year |
| Engine type | Honda |



AH-300/VH-300H Gas Ladder Hoist

- Easy set up- no special tools required
- Rugged all-steel construction

| | AH300 | VH300H |
|---------------------|---------------|---------------|
| Max weight capacity | 300 lbs | 300 lbs |
| Standard height | 30.5' - 42.5' | 26.5' - 42.5' |
| Engine warranty | 1 year | 3 years |
| Hoist warranty | 1 year | 1 year |
| Engine type | Lifan | Honda |

Call for price.

Additionnal Ladder Sections & Accessories

Standard Hoists

All units can be operated up to 42.5 ft max with additional ladder sections and support brace

CH-A002 8' Track Section w/Splice Plates
CH-A003 4'Track Section w/Splice Plates
TS-300 Support Brace
HS-ASSY Hoist Standoff
CH-RAMP Unloading Ramp
SB-ASSY Flat Panel/Solar Panel Cradle
UT-L-ASSY Utility Tray w/Deck Extenders

MH8 - Carriage Extend Deck Extender
ES-200-250 Emergency Stop

Heavy-Duty Hoists

HD-A002

SB-ASSY

All units can be operated up to 44 ft max with additional ladder sections and support brace

HD-A003 4' Track Section w/Splice Plates
TS-500 Support Brace
HS-ASSY Hoist Standoff
HD-400RP Unloading Ramp

8' Track Section w/Splice Plates

Flat Panel/Solar Panel Cradle

UT-XL -ASSY Utility Tray w/Deck Extenders
HD-C031-E-ASSY Deck Extenders
ES-400-500 Emergency Stop



AH-400/HD-400H Gas Ladder Hoist

- Easy set up- no special tools required
- Rugged all-steel construction

| | AH400 | HD400H |
|---------------------|-----------|-----------|
| Max weight capacity | 400 lbs | 400 lbs |
| Standard height | 28' - 44' | 28' - 44' |
| Engine warranty | 1 year | 3 year |
| Hoist warranty | 1 year | 1 year |
| Engine type | Lifan | Honda |



SteepSlope Scaffold

- Each rail is 21 ft. standard (2x 8 ft. sections, 1x 5ft. section) & extendable to 42 ft.
- Made for slate, tile, asphalt, and metal (including stone coated) shingle roofs with a pitch between 8/12 and 14/12.

*Note: This product does not come with planks. However, the system is built to support planks between 2x8 and 2x12.



HS-ASSY Hoist Standoff

 This patented attachment is recommended, and is universal to every hoist.
 Removes risk of damage to gutters and drip edges, and is engineered to provide increased stability during heavy lifting"

Call for price.



Kettles

Also available with the US safety lid

The best roofing kettles on the market

When you need to get your asphalt transferred, there's no better company than Grizzly.

- All Grizzly kettles are built to offer years of dependable and productive service.
- The heart of any kettle is its heating unit. That is why all Grizzly kettles have heating units made of factory tested round pipe.
- Standard features such as a GX270 Honda engine coupled to a 60 GPM pump and safety flow valve secured on three points, lockable one piece chimney cover, anti-splash lids and engine cover.
- An adjustable hitch, chains and brakes make towing safer and easier.
- Electrical wires are run through tubes and the side marker and fender lights are recessed for protection.
- Burners, hoses, regulator, draincock and thermometer are included.



625 000 - 300 US Gallons \$25,670



635 000 - 400 US Gallons \$28,760



650 000 - 600 US Gallons \$35,980



680 000 - 800 US Gallons \$40,800







Patch kettles



603 000 45 Gallon Patch Pot Kettle

The patch pot uses vapour propane and is ideal for small patch work, flashing curbs and vents. The unit comes complete with: burner, hose, regulator, thermometer and 2 1/2" draincock.

\$5,155



615 000 160 Towable Gallon Kettle

Features a round tube factory tested heating unit that helps retain heat, one piece chimney cover, anti splash dual lids, front industrial jack leg and rear stabilizer leg. This kettle is ready to work with its burner hose and regulator, thermometer and 2-1/2" draincock.

\$13,145

| 625700 | Fuminator for 625000 kettle | \$7,775 |
|--------|---|-----------|
| 635700 | Fuminator for 635000 kettle | \$7,775 |
| 650700 | Fuminator for 655000 kettle | \$7,775 |
| 600941 | Bottle Rack for 1 propane tank for kettle | On demand |
| 600949 | Tool box for kettle | On demand |



Grizzly Asphalt Kettles

The best roofing equipment, made even better.



Kettles accessories



Thermometer Holder

201190 - Thermometer Handle Only 201191 - Handle + 12" Thermometer



Regulator

942 400 - Regulator Complete Liquid 942 410 - Vapor Regulator



Propane Hose

940 662 - 50FT Hose For Sprayer (385 000) 940 406 - 3FT Hose For Sprayer 940 405 - 15FT Hose For Sprayer



Thermometer

942 501 - Kettle Thermometer 3" Dial x 6" Stem 942 502 - Kettle Thermometer 3" Dial x 9" Stem 942 503 - Kettle Thermometer 3" Dial x 12" Stem



Coupling

942 203 - Coupling - 1 ½" Steel 942 024 - Coupling - 2" Steel



Draincock

601 201 - Draincock - 2 ½" 601 203 - Draincock - 2 " (for 603 000)



Plumbing Union

942 040 - Union 1 1/2" x 150lbs

942 041 - Union 1 ½" x 300lbs 942 042 - Union 2" x 150lbs 942 043 - Union 2" x 300lbs



Jack Leg

942 920 - Industrial Jack - 5000LB



Kettle Skimmer

804 000 - Kettle Skimmer



Plumbing Elbow Joint

942 062 - Street Elbow 1 ½" x 150 lbs x 90° 942 063 - Street Elbow 1 ½" x 300 lbs x 90°





Flex Hose / Insulated Flex Hose

601 030 - Flex Hose 1 $\frac{1}{2}$ " x 5'

601 031 - Flex Hose 1 1/2" x 5' (Insulated)

601 032 - Flex Hose 2" x 5'

601 032 - Flex Hose 2" x 5' (Insulated)

601 001 - Plumbing - Elbow Pipe 1 1/2" x 120°

601 002 - TWT Tubing 1 1/2" x 2'

601 003 – TWT Tubing 1 1/2" x 3'

601 004 – TWT Tubing 1 ½" x 4'

601 006 - TWT Tubing 1 1/2" x 6'

601 010 - TWT Tubing 1 1/2" x 10'

601 014 – TWT Tubing 1 ½" x 14' 601 020 – TWT Tubing 1 ½" x 20'

602 001 - Plumbing - Elbow Pipe 2" x 120°

602 004 - TWT Tubing 2" x 4'

602 006 - TWT Tubing 2" x 6'

602 010 - TWT Tubing 2" x 10'

602 020 - TWT Tubing 2" x 20'

Kettle Burner

942 411 700,000BTU Burner 942 412 900,000BTU Burner



Manual Roofing Tools

Grizzly tools are perfect for every roofer. They're built tough and can take whatever you throw at them!

The best choice of roofing equipment in North America

Order now: 1-888-325-9953



801 000 Tear Off Ripper

Strong and efficient; it has reinforced handles and steel wheels. The blade can be installed facing up for storage and can be replaced if needed.



Tools

801 500 Semi Pneumatic Tear Off Ripper

Features semi-pneumatic wheels. It is longer and wider than the 801 000, which offers more room and comfort for taller users.

\$600







802 000 3-1/2" Scraper

803 000 7" Scraper

804 000 Skimmer

\$95

\$110

This tool enables easy cleaning, skims debris from inside the kettle. Heavy duty construction.

\$195







806 000 Core Cutter

take samples of roofs to quote and avoid surprises. Very compact, it can be taken apart

808 000 18" Seam Rollers

in the membrane. Full 42 LBS

810 000: 6" Seam Roller

Made of a single piece to avoid creating ridges Full 16 LBS


\$150

\$390

\$230



807 000 16" Seam Roller






Move heavy rolls of any type onto the roof without injuries. Sold in pairs.

\$**79**0

Heavy 92 LBS



Safety Equipment

As a roofer, your safety is always our number one priority. That's why we offer a wide range of safety equipment to help keep you safe while you work. Whether you're working on a pitched roof or a flat roof, be sure to check out our complete line of Grizzly safety gear before starting your next project.

We make the toughest roofing tools and equipment on the market.



821 000 Safety Bucket

Heavy duty safety buckets specifically made to transport asphalt safely.

- « V » shaped into handle to automatically center cable or hook when lifting bucket.
- Bottom handle for emptying of bucket.
- Flat bottom
- Reinforced edge



822 000 Safety Bucket With Lid

The 822 000 bucket is supplied with hinged lid for added safety and protection from splashing.



825 000 Roof Brackets

Roof bracket for shingles. Can be used on all slopes including 12/12 pitch. They can be removed without raising or damaging shingles.

• 2 X 10 45 deg.

\$220

\$340

READY TO USE

One of its kind with no counterweight required.



Leave it on the roof for easy maintenance, all year long!

HERCULES Mobile anchoring system

Durable, portable, safe and easy to operate by a single person.

861000 Hercules Anchoring System

A mobile anchoring system for protection against height falls, designed for flat roofs and similar structures, that maximizes productivity, safety and ease of use through innovative design and advanced features

\$7,990

861000SW - \$8,100

860000 Quebec Model \$7,725

86000SW - \$7,900

Specifications

| Dimensions | | |
|------------------|---|--|
| Length | 82" (with the handle down) 120" (with the handle up) | |
| Width | 31" | |
| Height | 35" (with the wheels up) 43" (with the wheels down) | |
| Platform Size | 46 x 31" | |
| Ground Clearance | 0" to 7.5" | |
| Tires | 18 x 8.50 x 8, 4 ply rating, | |
| Weight | 1250 lbs. | |

Also available with solid wheels – call for price

| Capacity | | | |
|------------------|---------------------------------|--|--|
| Fall Arrest | 2 workers | | |
| Travel Restraint | 4 workers | | |
| Tires | 815 lbs. capacity each | | |
| Compliance | | | |
| CSA | Z259.16-04 | | |
| OSHA | 1926.502 1910.140 1910.66 | | |
| ANSI | Z359.18-2017 | | |

Suitable for the following types of roofs

Built-up asphalt and gravel, Modified bitumen system., Single-ply system such as fully adhered TPO, PVC, EPDM, Elastomeric membrane, and Wood (deck), mechanically fixed plywood.

Safety Equipment

We have a wide range of safety equipment to help keep you safe while working.

Guard Rail System

- Section off the job site into zones to easily organize work and personnel.
- Warn workers of impending dangers such has hazardous materials or falls.
- Disassemble and relocate Guardrail sections quick and easily.
- Conforms with OSHA regulations.

| 107100 | Rail System - 5 ft. | \$600 |
|--------|-----------------------|-------|
| 107101 | Rail System - 7.5 ft. | \$650 |
| 107102 | Rail System - 10 ft. | \$685 |
| 107107 | Based Only + Pins | \$395 |
| 108012 | Rail Only - 5 ft. | \$205 |
| 108014 | Rail Only - 7.5 ft. | \$255 |
| 108016 | Rail Only - 10 ft. | \$290 |




107010 Gard Rail Base Transporter

A 2 wheeled dolly that is equipped with 400 x 4.80 wheels to move guard rail bases easily.

- Lightweight and easy to transport
- 110lbs carrying capacity
- Simplistic fulcrum mechanism
- Protect workers' health and wellbeing



^{*} A rail system includes only 1 rail and 1 base.



Labor Savings: FallBan allows "Roofers" to stay fully focused on the job at hand, without having to dodge lanyards or be restricted by harnesses. We have found eliminating the need for workers to be tied off greatly increases productivity on the roof. For many years the FallBan system has been the preferred choice, for its ease of use, multiple configurations, and efficiency. Now, FallBan 2 offers a rail, cable, or hybrid-rail/cable barrier system with the same benefits as the previous cable-only system.

OSHA, SOR, and USACE compliant, fast and easy setup, and 100% approval by safety inspectors for over 15 years.



Rail Barrier

Cable Barrier

FallBan, the right choice.

The FallBan 2 80 ft. Quick Corner Kit

| FallBan 2 Stanchions | 6 |
|--------------------------|---|
| Stanchion Support Plates | 6 |
| Stanchion to Wall Rests | 6 |
| FallBan 2 Mid Braces | 5 |
| Diagonal Braces | 4 |
| Cable 250 ft roll | 1 |
| Cable corner Rollers | 6 |
| Flag line 100 FT | 1 |
| Cable Pullers | 2 |
| Wooden Storage Pallet | 1 |

*Does not include Extension Bars, Parapet Clamps, or hard rail accessory equipment


Call for price

PROMOTIONAL 80 ft Hard Rail Adaptor kit which includes 4 Rail Connectors and 1 Rail Corner.

* Would require 2" EMT main rail to be purchased separately.

Call for price







#FB-51 Wood storage pallet



#FB-F2-1 FallBan2 Stanchion



#FB-1B Stanchion Support Plate



#FB-1A Stanchion to Wall Rest



#FB-F2-2 FallBan2 **Mid Brace**



#FB-2 Diagonal Brace



#FB-16-250 Cable 250' Roll



#FB-12 Cable Corner #FB-21 Flag Line Roller



100'



#FB-19 Cable Puller

| Basic Straight Run Kits Include: | | | | | | | |
|----------------------------------|----------|------------------------|------------|--------------------|------------------|-------|-----------|
| Item # | Kit Size | Complete Stanchions | Mid Braces | Diagonal Braces | Anchor Plates | Cable | Flag Line |
| FB2-80 | 80' | 2 | 5 | 4 | 2 | 250' | 100' |
| FB2-100 | 100′ | 6 | 5 | 2 | 2 | 300′ | 100′ |
| FB2-200 | 200′ | 11 | 10 | 2 | 2 | 600′ | 200′ |
| FB2-400 | 400′ | 21 | 20 | 2 | 2 | 1200′ | 400′ |
| FB2-500 | 500′ | 26 | 25 | 2 | 2 | 1500′ | 500′ |

Basic Kits can be adapted to standard flat or gravel stop edges or gutter edges.

| Premium Kits Include: | | | | | | | | | | | |
|-----------------------|----------|------------------------|------------|--------------------|------------------|-------|-----------|--------|----|-------------------|------------------------------|
| Item # | Kit Size | Complete Stanchions | Mid Braces | Diagonal Braces | Anchor Plates | Cable | Flag Line | Roller | | Parapet Clamps | Diagonal Brace Swivels |
| FB2-P-100 | 100' | 6 | 5 | 4 | 2 | 300′ | 100′ | 3 | 6 | 6 | 1 |
| FB2-P-200 | 200' | 11 | 10 | 8 | 2 | 600' | 200' | 12 | 11 | 11 | 1 |
| FB2-P-400 | 400' | 21 | 20 | 10 | 2 | 1200' | 400' | 12 | 21 | 21 | 2 |
| FB2-P-500 | 500' | 26 | 26 | 12 | 2 | 1500' | 500' | 15 | 26 | 26 | 2 |

Premium Kits can be adapted to standard flat or gravel stop edges, gutter edges, corners (both inside and outside) parapet walls (of a variety of widths) and roof overhangs.

100′ – 200′ set will include a wooden shipping container. Sets larger than 200′ will include a steel FallBan Storage Pallet.

Call for price.

Other Product lines











Technical Data



| KIT COMPOSITION | | | TITANIUM TORCH KIT | STEEL TORCH KIT |
|-----------------|----------------|--------------------------------|-----------------------|--------------------|
| Туре | Product number | Description | 6211CRE | 6111E |
| Handle | 620CRE | Curved composite handle | • | |
| natiule | 650E | 490 | | • |
| Wand | L600 | 24 in. wand | • | |
| wand | L200 | 7 in. wand | • | |
| D | 150T | 511.000 BTU Titanium burner | • | |
| Burner | 50S | 170.000 BTU Titanium burner | • | |
| Economy | | Steel wand + bell sub assembly | | • |
| | 36201 | Female quick connector | • | |
| | 525C | CSA 25' Hose | • | • |
| Connections | 915 | 30-60 PSI Regulator | • | |
| | 914-60 | 60 PSI fixed Regulator | | • |
| | 702500 | Stricker | • | |









ELECTRIC HOT AIR WELDING TOOL

CAT. NO. 2020E - CAT. NO. 2023E

Ideal for welding, heating, forming, or shrinking all types of materials (plastic, zinc, etc.), the electric hot air welding tool (Cat No. 2020E or Cat. No. 2023E) is a handy and easy-to-use tool.




Fast set up, it is operational in less than 3 minutes and features an automatic cooling system with delayed shutdown for safe power-off.

Equipped with a storage and transport case, the electric hot air welding tool (Cat. No. 2020E or 2023E) follows you on all your worksites.



Call for price.





229-AR ELASTOMERIC

Repair and roof coating product for asphalt, elastomere membrane and metal roof



71-AF FIBRATED ROOF COATING

Asphalt fibrated roof coating



502 RC-W ELACTOKOTE

Repair and roof coating for EPDM, TPO, PVC and metal roof



502 KARNAFLEX

Repair for metal roof, elastomeric membrane, TPO, concrete, EPDM and PVC

Stick in the water!



155-AF AMPHIBIKOTE

Plastic cement for repair on asphalt roof, elastomeric membrane, and metal roof.

Stick in water!



18-AF PERFECTSEAL

Plastic cement for repair on asphalt roof, shingles, metal, and elastomeric membrane.



19 ULTRA RUBBERIZED FLASHING CEMENT

Rubberized plastic cement for repair on shingles, asphalt roof, elastomeric membrane and metal roof.

Stick in the water!



709 KARNA-KLEAN

Karna-Klean is a biodegradable non-toxic petroleum free cleaner/degreaser with all natural ingredients.

Call for price.

Other Karnak products available. Call for information.

Prices subject to change without notice. Transport fees not included.



Amped Equipment is the leading manufacturer of mobile roofing spray systems. Proudly made in the USA, these carts increase productivity & profitability. If time is money, why not save both with Amped Equipment?



Carlisle Approved Mobile Roof Sprayer - Carries and Dispenses 55-Gallon Drum 2-part Adhesives. The P55 has a one-of-a-kind patented design that is fully self-contained, providing safe electric drum loading.

FEATURES:

- Custom OEM Graco Reactor Hose Racks
- Run 55 Or 15 Gal Drums
- Electronic Drum Loading
- Variable Speed & Pressure
- Extra Large Lockable Cabinet

component applicator is self cleaning

and designed for use with The PJR Roof Spray Cart.



Carlisle Approved Mobile Roof Sprayer for 2-part Adhesive Applications with 15 Gal. Drums, Jugs, or Boxes. The PJR is the #1 spray cart in the industry for good reason. It is the most cost-effective spray foam system of its kind, paying for itself after one medium size job

FEATURES:

- Custom OEM Graco Reactor
- Variable Pressure up to 2000LBS/1.5 GPM
- Up to 160 ft of Hose
- 18x850 Flat Free Tires
- Online Video Instructions

COMPATIBLE PRODUCT:

15 Gal Drums Bag in a Box 5 Gal Jugs



- The worlds first and only self-cleaning two-part spray adhesive applicator
- Spray multiple bead patterns with a single gun simultaneously
- Spray faster and longer thanks to the lightweight, ergonomic design
- More accurate and specific spray pattern application control
- Padded, Comfort Fit Manifold Handle and Forearm Cuff
- Tip attachment retrofits to standard Vee-Manifold



- GOLD MACHINED ALUMINUM BODY: Precision machined for effective use
- YOKE LOCK: Prevents accidental run out
- AIR QUICK CONNECT: Bloplet spatter dispensing
- 3 GREASE FITTING: Prevents clogging of all 3 channels

- SPLIT YOKE HANDLE: Quick polyol purge to prolong tip use

FOREARM CUFF: Provides accurate control

AMPED

Amped Equipment is the leading manufacturer of mobile roofing spray systems. Proudly made in the USA, these carts increase productivity & profitability. If time is money, why not save both with Amped Equipment?

Use One Cart to Spray 2-Part Adhesives like the PJR or FLIP to Hang 5 for Single-Ply Adhesive Application. Apply single-ply adhesive or 2-part low-rise foam adhesive with ONE mobile sprayer - the new "FLIP" cart from Amped Equipment. Roofers can now do single-ply and plural component adhesive applications with a single unit called the "FLIP" cart from Amped Equipment.

- PJR OEM Graco Reactor
- 50" 2-Hose Bundle at 3/8"
- PJR Vee Manifold Static Gun
- 20 Static Mixing Nozzle Tips
- A+B (2) 10 ft. Whip Hoses at 3/8"
- MADE IN THE USA!











Easily switch between the Flip cart and the Hang 5

The Hang 5 is a Mobile Battery Powered Single-Ply Adhesive Sprayer.

Revolutionary, new, lithium battery-powered spray cart for applying single-ply roofing membrane adhesives. The HANG 5 sprays with five battery-operated nozzles at a 5-foot width for even coverage of 500 square feet per minute, or 1000 square feet per minute with a second bar attached. An on-board integrated cleaning system allows the HANG 5 to air-purge with the press of a button, cleaning all of the spray nozzles and hoses simultaneously. This one-of-a-kind patented design allows for

- Coverage: 500-1,000 Square Feet Per Minute with 2nd Bar Attached

fast, simple mobile application of single-ply adhesives.

- Power: Lithium Battery Powered
- Setup: Quick, Simple, and Easy!
- Self Cleaning: Integrated On-Board Cleaning System Cleans Hoses and Nozzles with Push of a Button!
- Self-Contained Control Box
- Run Time: 2 hours of continuous run time with single 5' bar or 1 hour with 10' bar on a fully charged 20v or 24v Lithium-Ion Battery.
- Made in The USA



| MODEL | DESCRIPTION | WEIGHT | MODEL | DESCRIPTION | WEIGHT | |
|---------|--------------------------------------|---------|-----------------------|--|----------|--|
| 101 000 | Mini mopper 40" | 80 lb | 502 500 | TT1000 power unit GX270 Honda | 215 lb | |
| 102 000 | Mini mopper 36" | 80 lb | 503 500 | TT1000 Hyd power unit GX270 | 260 lb | |
| 104 000 | Mini mopper 48" | 80 lb | 530 500 | Hand hoist | 110 lb | |
| 110 000 | Gravel spreader | 115 lb | 531 000 | Manual swing hoist | 125 lb | |
| 121 000 | Mop buggy | 80 lb | 532 000 | Mech. Swing hoist frame | 215 lb | |
| 143 000 | LG18 Trailer | 190 lb | 590 000 | Trash tray | 125 lb | |
| 143 700 | LG18 Dump Tray Attachment | 175 lb | 597 000 | Counterweight | 55 lb | |
| 143 800 | LG18 Double Dump Tray Attachment | 280 lb | 598 000 | Ladder wheel | 15 lb | |
| 144 000 | Utility carrier | 105 lb | 599 000 | 12" gin wheel with hook | 10 lb | |
| 146 500 | Insulated hot tank | 72 lb | 601 100 | Hot pipe support | | |
| 147 000 | Hot stuff carrier | 165 lb | 601 201 | 2-1/2" Draincock for 145 000, 174 000 & | 13.5 lb | |
| 180 000 | Trash chute hopper | 100 lb | | Kettles | | |
| 202 000 | Wheelbarrow | 67 lb | 603 000 | 45 gal. Patch pot | 260 lb | |
| 203 000 | Wheelbarrow | 86 lb | 615 000 | 160 gal Kettle | 1100 lb | |
| 220 000 | Voyager 1 | 50 lb | 625 000 | 300 gal. Kettle | 2002 lb | |
| 221 000 | Voyager 2 | 75 lb | 635 000 | 400 gal. Kettle | 2300 lb | |
| 225 000 | Transp. with swivel rear wheels | 145 lb | 650 000 | 600 gal. Kettle | 3498 lb | |
| 227 000 | Transp. without rear wheels | 110 lb | 680 000 | 800 gal. Kettle | 4980 lb | |
| 230 000 | Roll Carrier | 230 lb | 801 000 | Tear off ripper | 62 lb | |
| 301 000 | Roof cutter (Honda GX270) | 205 lb | 801 500 | Tear off ripper | 50 lb | |
| 303 500 | Piranha Roof cutter (Honda GX340) | 245 lb | 802 000 | 3-1/2" scraper | 7 lb | |
| 303 600 | Piranha Roof cutter (Honda GX390) | 245 lb | 803 000 | 7" scraper | 9 lb | |
| 304 000 | Mini Cutter | 165 lb | 804 000 | Skimmer | 6.5 lb | |
| 320 000 | Hydraulic roof remover | 600 lb | 806 000 | Core cutter | 3.5 lb | |
| 330 000 | Workhorse | 325 lb | 807 000 | 16" Seam roller (heavy) | 92 lb | |
| 330 500 | Gravel spreader | 110 lb | 808 000 | 18" Seam roller (full) | 42 lb | |
| 330 700 | Dump tray | 90 lb | 810 000 | 6 ' Seam roller (full) | 16 lb | |
| 332 000 | Hydraulic Workhorse | 490 lb | 814 000 | Universal Roll Carriers | 11 lb | |
| 332 700 | Dump tray (Hydraulic Workhorse) | 170 lb | 821 000 | Safety bucket | 8 lb | |
| 333 000 | Wheels under Workhorse | 325 lb | 822 000 | Safety bucket with lid | 10.5 lb | |
| 340 000 | Predator | 260 lb | 825 000 | Roof bracket (weight for 12) | 39 lb | |
| 350 000 | Roof planer | 230 lb | 851 000 | Safety base c/w post | 20 lb | |
| 370 000 | 36" Sweeper (Honda GX270) | 385 lb | 852 000 | Guard rail system | 19.5 lb | |
| 385 000 | Sprayer (with 50' hose & GX120 Honda | 525 lb | 852 100 | Guard rail clamp | 6.5 lb | |
| | engine) | | 852 200 | Guard rail post | 13 lb | |
| 391 000 | Seam roller | 110 lb | 852 300 | Guard rail 1-1/4" x 10' lower steel rail | 7.5 lb | |
| 410 000 | G41 | 1190 lb | 852 350 | Guard rail 1-5/8" x 10' upper steel rail | 16.5 lb | |
| 410 000 | G41 with bucket | 1310 lb | 861 000 | Hercules mobile anchoring system | 1000 lb | |
| 410 200 | Bucket with hydraulic grappler | | | | | |
| 412 000 | Hydraulic sweeper for G41 | 210 lb | | | | |
| 413 000 | Roof remover for G41 | 140 lb | For a | any parts inquiries, please o | contact: | |
| 414 000 | Fork for G41 | 140 lb | orders@grizzlyase.com | | | |
| 501 300 | Fork | 85 lb | | | _ | |
| 501 450 | Super gravel bucket | 60 lb | And | check our website for spec | sheets. | |
| EO1 400 | Curval burdeak 000 lb | 105 16 | 1 | | | |

105 lb

170 lb

565 lb

501 480

501 490

502 000

Gravel bucket 800 lb

Gravel bucket 1600 lb

TT1000 Hoist

NOTES

| |
|------|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

NOTES

| |
|------|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

Distributed by:



North American Leader in Manufacturing Roofing Equipment

8650 rue Du Creusot St-Léonard (Québec) H1P 2A7 Telephone: 1-888-325-9953 E-mail: orders@grizzlyase.com www.grizzlyequip.com