



Printing Date 07/22/2021 Revision Number 8 Revision Date 07/22/2021

### 1 Identification

- · Product identifier
- · Trade name: Millennium Water Block Mastic
- · Article number: 730418-1
- · Relevant identified uses of the substance or mixture. Sealant
- · Application of the substance / the mixture Sealant
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Royal Adhesives & Sealants, LLC 4401 Page Avenue. P. O. Box 457 Michigan Center, MI 49254

Information Phone Number: 517-764-0334

- · Information department: Global Regulatory Department.
- · Emergency telephone number:

ChemTrec: Day or Night within USA and Canada: 1-800-424-9300. Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

### 2 Hazard(s) identification

Classification of the substance or mixture



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Warning
- · Hazard statements

Causes skin irritation.

Causes serious eye irritation.

· Precautionary statements

Wash thoroughly after handling.

Wear protective gloves / eye protection / face protection.

If on skin: Wash with plenty of water. Specific treatment (see on this label).

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

(Contd. on page 2)

Printing Date 07/22/2021 Revision Number 8 Revision Date 07/22/2021

Trade name: Millennium Water Block Mastic

(Contd. of page 1)

If eye irritation persists: Get medical advice/attention.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture: consisting of the following components.

· Hazardous components:		
471-34-1	calcium carbonate	25-50%
1332-58-7	Kaolin	5-20%
	Stoddard solvent (mineral spirits)	2.5-10%
546-93-0	Magnesite	2.5-10%
	Precipitated silica (Silica-Amorphous)	≤1%
1305-78-8	calcium oxide	≤1%
13463-67-7	titanium dioxide	<i>≤</i> 1%

#### · Additional information:

It is highly unlikely the powders and pigments compounded within this product would pose a hazardous risk from inhalation as they are no longer a respirable particulate. Exposure to these ingredients as used in sealants, putties, bedding compounds and other non-sprayable products is highly unlikely. The concentrations listed in the composition section are percent by weight unless a gas. Gas concentrations are expressed in percent by volume.

#### 4 First-aid measures

- · Description of first aid measures
- · After inhalation:

Call a doctor immediately.

Overexposure, remove to fresh air and seek medical attention.

· After skin contact:

Wipe excess from skin.

Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

Rinse opened eye for 20 minutes under running water. If eye becomes irritated, obtain medical treatment.

- · After swallowing: Seek medical treatment.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing Date 07/22/2021 Revision Number 8 Revision Date 07/22/2021

Trade name: Millennium Water Block Mastic

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

*Use fire fighting measures that suit the environment.* 

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Protective clothing and respiratory protective device.

## 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Dispose of contaminated material as waste in accordance with federal state and local regulations.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: Keep container closed when not in use.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Keep away from open flames and high temperatures.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data.
- · Control parameters

#### · Components with limit values that require monitoring at the workplace:

#### 471-34-1 calcium carbonate

PEL	Long-term value: $15*5**mg/m^3$
	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction
REL	Long-term value: $10*5**mg/m^3$ *total dust **respirable fraction
	*total dust **respirable fraction

(Contd. on page 4)

Printing Date 07/22/2021 Revision Number 8 Revision Date 07/22/2021

Trade name: Millennium Water Block Mastic

TIV	TLV withdrawn (Contd. of p
	-58-7 Kaolin
PEL	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction
DEI	Long-term value: 10* 5** mg/m³
KEL	tong-term value: 10 ° 5 ° ° mg/m² *total dust **respirable fraction
TI.V	Long-term value: 2* mg/m³
12,	E; as respirable fraction
8052	-41-3 Stoddard solvent (mineral spirits)
PEL	Long-term value: 2900 mg/m³, 500 ppm
REL	Long-term value: 350 mg/m³
	Ceiling limit value: 1800* mg/m³
	*15-min
	Long-term value: 525 mg/m³, 100 ppm
	93-0 Magnesite
PEL	Long-term value: 15*5** mg/m³
D.E.I.	*total dust **respirable fraction
REL	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction
TI.V	TLV withdrawn
	26-00-8 Precipitated silica (Silica-Amorphous)
	20mppcf or 80mg/m3 /%SiO2
	Long-term value: 6 mg/m <sup>3</sup>
TILL	See Pocket Guide App. C
TLV	TLV withdrawn
1305	-78-8 calcium oxide
PEL	Long-term value: 5 mg/m³
REL	Long-term value: 2 mg/m³
TLV	Long-term value: 2 mg/m³
1346	3-67-7 titanium dioxide
PEL	Long-term value: 15* mg/m³
	*total dust
	See Pocket Guide App. A
TIV	Long-term value: 10 mg/m³

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment (see listings below)
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 5)

Printing Date 07/22/2021 Revision Number 8 Revision Date 07/22/2021

Trade name: Millennium Water Block Mastic

(Contd. of page 4)

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### · Material of gloves

Protective gloves.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection: Safety glasses with side shields.
- · **Body protection:** Protective work clothing

Information on basic physical and c	hemical properties
General Information	
Appearance:	
Form:	Pasty
Color:	Gray
Odor:	Hydrocarbon-like
Odor threshold:	Not determined.
pH-value:	Not applicable.
Change in condition	
Melting point:	Undetermined.
Boiling point: Flash point:	Not applicable.
Flammability (solid, gaseous):	Not determined.
Ignition temperature:	230 °C (446 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Flammable limits:	
Lower:	1.1 Vol %
Upper:	6.0 Vol %
Vapor pressure:	Not applicable.
Specific gravity at 20 °C (68 °F):	1.4 g/cm³ (11.683 lbs/gal)
Relative density	Not determined.
Vapor density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Insoluble
Partition coefficient (n-octanol/wate	r): Not determined.
Viscosity:	
Dynamic:	Not applicable.

Printing Date 07/22/2021 Revision Number 8 Revision Date 07/22/2021

Trade name: Millennium Water Block Mastic

		(Contd. of page 5)
Kinematic:	>20.5cSt	
Solvent content: Organic solvents:	15 %	
Solids content:	85.0 %	
· Other information	VOC < 150 g/L	

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Heat, flames, sparks.
- · Incompatible materials: Reacts with strong oxidizing agents.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: May irritate the skin.
- · on the eye: May irritate the eye.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

Due to the form of this product, exposure to the potentially carcinogenic components is not expected.

· Carcinogenic categories

· IARC (Inte	rnational Agency for Research on Cancer)	
112926-00-	8 Precipitated silica (Silica-Amorphous)	3
13463-67-	7 titanium dioxide	2B
· NTP (Natio	onal Toxicology Program)	
None of the	ingredients is listed.	
· OSHA-Ca (	(Occupational Safety & Health Administration)	
None of the	ingredients is listed.	

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

(Contd. on page 7)

Printing Date 07/22/2021 Revision Number 8 Revision Date 07/22/2021

Trade name: Millennium Water Block Mastic

(Contd. of page 6)

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Small amounts can be disposed of with household waste after the product has cured or skinned over. Larger quantities should be disposed of according to state and local regulation.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Must be specially treated adhering to official regulations.

Disposal must be made according to official regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

4 Transport information	
· UN-Number · DOT, ADN, IMDG, IATA	not regulated
· UN proper shipping name · DOT, ADN, IMDG, IATA	not regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA · Class	not regulated
· Packing group · DOT, IMDG, IATA	not regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	<b>II of</b> Not applicable.
· Transport/Additional information:	This product is not classified as a Division 4.1Flammable Solids according to UN Test N.1 Test Method for Readily Combustibile Solids.
· UN "Model Regulation":	not regulated

USA

(Contd. on page 8)

Printing Date 07/22/2021 Revision Number 8 Revision Date 07/22/2021

Trade name: Millennium Water Block Mastic

(Contd. of page 7)

#### 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

· Proposition 65

Please contact H.B. Fuller for more information regarding Proposition 65 on this product: reg.request@hbfuller.com.

Contact HB Fuller for more information.

· (DSL) Canada Dosmestic Substance List

All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements.

Cancerogenity categories

· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value)	
1332-58-7 Kaolin	A4
13463-67-7 titanium dioxide	A4
· MAK (German Maximum Workplace Concentration)	
13463-67-7 titanium dioxide	3A
Trade Secret	3A
NIOSH-Ca (National Institute for Occupational Safety and Health	
13463-67-7 titanium dioxide	

- · National regulations:
- · Water hazard class: Water hazard class 3 (Self-assessment): extremely hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, Royal Adhesives & Sealants makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Royal Adhesives & Sealants or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

Department issuing SDS:

 ${\it Global\ Regulatory\ Department}.$ 

reg.request@hbfuller.com

- · Creation Date: 08/06/2014
- · Contact:
- · Date of preparation / last revision 07/22/2021 / 7

(Contd. on page 9)

Printing Date 07/22/2021 Revision Number 8 Revision Date 07/22/2021

Trade name: Millennium Water Block Mastic

(Contd. of page 8)

#### · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

USA